

## LAW ENFORCEMENT EQUIPMENT MATRIX

Item(s) / Description		Allowable at Maximum	Allowable at Medium	Allowable at Minimum
Handgun(s)				
	Glock or equivalent, 9mm, double or safe action, 4-5 inch barrel for replacement	50 total	40 total	25 total
Shotgun(s)				
	Remington Police Model 870 or equivalent, 12 gauge, ghost ring or rifle sight, 18-20 inch barrel, for replacement	50	40	20
Duty Rifle				
	Colt .223 AR-15 or equivalent, with tactical scope mounts, scope rings, raised cheek piece/cheek rest, Burris 3x9x40 Posi-lock or with equivalent telescopic optics that have positive locking sight adjustment features. Scoped weapons are only authorized for tower use	25	15	10
Tactical Rifle				
	Remington 700 or equivalent, .308 caliber, bolt action center fire, equipped with , minimum four-power fixed or 3 x 9 variable, black synthetic stock, blue steel, for replacement	1	1	1
Gas Mask				
	Black rubber, full face with replaceable filter, designed for adaptation to eyeglass wear, for replacement	36	26	16
Body Armor (CERT, Transportation)				
	Only body armor models that have been tested by the National Institute of Justice (NIJ) National Law Enforcement and Corrections Technology Center (NLECTC), and found to comply with the requirements of the current NIJ standards will be used.	50	35	25
Communication Radios and Case		Required radios will include the number of posts/positions on the master roster plus number of CERT members plus 10% to be used as replacement		
	Radios, black Motorola 800 band or equivalent, case black cordura construction, for replacement			
Riot Helmets				
	Black shatter-resistant with face shield, adaptable for gas mask, chin strap, meets NIJ Standard 0104.02	45	35	25
Batons				

Item(s) / Description		Allowable at Maximum	Allowable at Medium	Allowable at Minimum
	Riot - 36" length, 1 1/4" diameter, rounded on both ends, smooth finish with gripping surface on both ends, equipped with leather strap, wood, fiberglass, polycarbonate plastic, or aluminum construction, for replacement PR24 - 24" length, 1 1/4" diameter, rounded on both ends with side handled , for replacement Expandable - No longer than 26" in length when extended, with case, for replacement	115	85	55
Riot Shields				
	Clear polycarbonate, 20" wide, 36" high, solid cast aluminum handles, weight 5.5 lbs., for replacement	36	26	16
Electronic Shield				
	Clear polycarbonate, handle made of cast aluminum, with button activation	2	2	1
Taser				
	Type as approved by the Division Managers	1	1	1
Hand Cuffs				
	Nickel finished steel double lock configuration with tubular style retention mechanism, 11/32 inch thick, anti-locking swivel chain connection or high security hinged connected, meeting NIJ Standard 0307.01, for replacement	200	150	75
Leg Irons				
	Nickel finished steel, double lock configuration with tubular style retention mechanism, 11/32 inch thick, anti-locking swivel chain connection or high security hinged connected, meeting NIJ Standard 0307.01, for replacement	200	150	75
Belly Chains				
	Strong and durable, links to be 1/4" thick and 1 1/2" long	200	150	75
Plastic/Nylon Flexcuffs				
	350 lbs. tensile strength, 22 inches long, for replacement	2000	2000	2000
Black Boxes		200	150	75

Item(s) / Description		Allowable at Maximum	Allowable at Medium	Allowable at Minimum
Battering Ram				
	30 inches long, weight 35 lbs. steel construction, 2 no slip shock absorbing handles, one person operation, impacts with a minimum of 19,000 foot per inch kinetic force, for replacement	1	1	1
Knife/Tool Combination (CERT)				
	Leatherman or equivalent, with black cordura case, for replacement	46	36	26
Ammo Pouch/Speedloader				
	With black cordura case, for replacement	120 total	100 total	80 total
Flashlight and Carrier (Law Enforcement Grade)				
	D cell, 3 battery, for replacement	100	70	50
<u>LOAD BEARING EQUIPMENT</u>				
Duty Belt				
	Black leather or cordura, for replacement	60	50	35
Holster				
	Black leather or cordura, jacket slot, for replacement	60	50	35
Keepers				
	Black leather or cordura, for replacement	120	100	70
Handcuff Case				
	Black leather or cordura, for replacement	60	50	35
OC Dispensing Systems/Devices (types and quantity as approved by the Division Managers)		# as approved by the Division Manager	# as approved by the Division Manager	# as approved by the Division Manager
Ready bag, black, for replacement (CERT)		36	26	16
<u>AMMUNITION</u>				
9 mm Ammunition (Duty)				
	New, factory loaded, 9 mm or 9 mm+P, jacketed hollow point, 124-147 grain with a minimum speed of 1110 feet per second, for replacement (per weapon)	3,000 rounds, total	2,500 rounds, total	2,000 rounds, total
.223 Ammunition (Duty)				

Item(s) / Description		Allowable at Maximum	Allowable at Medium	Allowable at Minimum
	New, factory loaded, 55 grain, boat tail hollow point, match grade, for replacement	1,000 rounds	500 rounds	300 rounds
12 Gauge "OO" Buck (Duty)				
	New, factory loaded, 9 pellet per weapon, no magnum loads, for replacement	750 rounds	600 rounds	300 rounds
12 Gauge Rifle Slug (Duty)				
	New, factory loaded, 1 oz. Slug, for replacement	750 rounds	600 rounds	300 rounds
.308 Ammunition (Duty) New, factory loaded, minimum 150 grain, boat tail hollow point, match grade expanding ammunition, for replacement		100 rounds	100 rounds	100 rounds
.223 Magazines (3 per rifle)		60	30	18
9 mm Magazines (3 per pistol)		180 total	150 total	120 total
Restraint Chair		1	1	0
Custody Control Belt		1	0	0
Hand Held Metal Detectors		10	5	5
Transport Leg Braces		2 sets	1 sets	0 set
Canteen (CERT)				
	Camelback or similar style, black soft cordura covered, 40 fluid oz. capacity, washable, for replacement	36	26	16
Spotting Scope with Tripod, 12-36 x 50				
	Adjustable optics, for replacement	2	2	2
Binocular				
	Black polycarbonate construction, 10 x 50 optics, for replacement	15	10	10
Full Body Armor (CERT)		10	6	6
Spot Light				
	Facility/Districts have the option of either plug-in or battery-powered, minimum 1,000,000 candle power	20	15	10
Metal Detector				
	With ground and discriminator adjustment, for replacement	2	2	2
Rappelling Sets				

	<b>Item(s) / Description</b>	<b>Allowable at Maximum</b>	<b>Allowable at Medium</b>	<b>Allowable at Minimum</b>
	Including 2 Swiss seats, 2 snap links, 2 figure-eight descenders with ears, 200 feet rappelling ropes and rope bags, rescue pulley, and grappling hooks, for replacement	5	5	5

(R 11/17)